(19) World Intellectual Property Organization International Bureau



(43) International Publication Date 6 April 2006 (06.04.2006)

PCT

(10) International Publication Number WO 2006/036689 A1

(51) International Patent Classification⁷: H01B 7/08

G11B 5/48,

(21) International Application Number:

PCT/US2005/033798

(22) International Filing Date:

21 September 2005 (21.09.2005)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data: 10/949,654

24 September 2004 (24.09.2004) US

(71) Applicant (for all designated States except US): STORAGE TECHNOLOGY CORPORATION [US/US]; Timothy R. Schulte, One StorageTek Drive, MS-4309, Louisville, Colorado 80028-4309 (US).

(72) Inventors: BUHLER, Otto R.; 7890 Grasmere Drive, Boulder, Colorado 80301 (US). VILLIARD, Jeffrey G.; 14088 Blue River Trail, Broomfield, Colorado 80020 (US). MCKINSTRY, Kevin D.; 6583 Moore Street, Arvada, Colorado 80004 (US). EWASKO, Ricky L.; 2480 Juniper Avenue, Boulder, Colorado 80304 (US). (74) Agent: SCHULTE, Timothy R.; Storage Technology Corporation, One StorageTek Drive, MS-4309, Louisville, Colorado 80028-4309 (US).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.


(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: SYSTEM AND METHOD FOR CROSSTALK REDUCTION IN A FLEXIBLE TRACE INTERCONNECT ARRAY



(57) Abstract: A system for reducing signal crosstalk in a flexible trace interconnect array includes a flexible dielectric material base, and a plurality of conductors longitudinally arranged as pairs in a signal layer array on the base. At least one of the pairs of conductors comprises a twisted pair.

SYSTEM AND METHOD FOR CROSSTALK REDUCTION IN A FLEXIBLE TRACE INTERCONNECT ARRAY

BACKGROUND OF THE INVENTION .

1. Field of the Invention

The present invention relates to a system and a method for crosstalk reduction in a flexible trace interconnect array.

2. Background Art

10

20

25

Flexible trace interconnect arrays (so-called flex circuits) are used in tape head assemblies to connect the recording head to respective read and write circuitry. The flexible trace interconnect arrays are constructed primarily of pairs of conductive traces disposed on or in a flexible dielectric material. The conductive traces connect the read and write elements of the tape head to the respective read and write circuits.

In conventional flexible trace interconnect arrays, individual trace pairs couple, both capacitively and inductively, with other trace pairs that are in close proximity (i.e., neighboring traces) due to the density of the traces. Such coupling can cause undesirable crosstalk in signals that are transmitted (i.e., presented and received) using the flexible trace interconnect arrays.

Conventional approaches that have been implemented in an attempt to reduce or eliminate the coupling and crosstalk between trace pairs that are in close proximity to each other in flexible trace interconnect arrays include using conductive shielding to separate trace pairs, implementing "pseudo-twisted" pairs of trace arrays, and physically separating horizontal and vertical distances between flexible trace interconnect array conductor pairs. However, such conventional approaches typically fail to effectively reduce or eliminate the coupling and crosstalk

5

10

15

20

25

between trace pairs that are in close proximity in flexible trace interconnect arrays, especially in high density implementations.

Thus there exists an opportunity and need for an improved system and method for cost effectively reducing or eliminating coupling and crosstalk in connection with flexible trace interconnect array conductor pairs.

SUMMARY OF THE INVENTION

The present invention generally provides a system and a method for new, improved and innovative techniques for crosstalk reduction in a flexible trace interconnect array for multi-channel tape heads. The present invention generally provides a system and a method for a true twisted pair conductor implementation in a flexible trace interconnect array.

According to the present invention, a system for reducing signal crosstalk in a flexible trace interconnect array is provided. The system comprises a flexible dielectric material base, and a plurality of conductors longitudinally arranged as pairs in a signal layer array on the base. At least one of the pairs of conductors comprises a twisted pair.

Also according to the present invention, a method for reducing signal crosstalk in a flexible trace interconnect array is provided. The method comprises disposing a plurality of conductors arranged as pairs in an array on a flexible dielectric material base, and forming at least one of the pairs of conductors as a twisted pair.

Further, according to the present invention, a flexible trace interconnect array is provided. The array comprises a flexible dielectric material base, a plurality of trace conductors disposed as pairs along a longitudinal axis of the base, and a crossover section formed as a true twist in at least one of the conductor pairs.

The above features, and other features and advantages of the present invention are readily apparent from the following detailed descriptions thereof when taken in connection with the accompanying drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

5 FIGURE 1 is a diagram of a flexible trace array according to the present invention;

FIGURES 2(a-c) are diagrams of alternative implementations of a flexible trace array according to the present invention;

FIGURES 3(a-b) are isometric diagrams of alternative implementations of a twisted conductor pair in a flexible trace array according to the present invention; and

FIGURES 4(a-b) are detailed illustrations of a structure of a flexible trace array according to the present invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT(S)

With reference to the Figures, the preferred embodiments of the present invention will now be described in detail. Generally, the present invention provides an improved system and method that implements new and innovative techniques for a flexible trace interconnect array having mitigated, reduced or eliminated crosstalk between conductor pairs when compared to conventional approaches. The improved system and method of the present invention generally provides for including one or more true twists in a trace pair that is implemented in a flexible trace interconnect array.

Referring to Figure 1, a diagram illustrating a top view of a flexible trace conductor interconnect array 100 of the present invention is shown. The interconnect array 100 may be advantageously implemented in connection with respective multi-channel tape head read/write circuitry (not shown) in a data storage system (not shown). The interconnect array 100 may be implemented in connection with any multi-channel signal communication (i.e., transmission and reception, presenting or sending and receiving, etc.) application that includes a flexible trace conductor interconnect array.

The array (e.g., system, apparatus, etc.) 100 generally comprises a flexible dielectric material base (e.g., film, sheet, flexible substrate, and the like) 102 (shown in phantom), a plurality of trace conductors (e.g., leads, wires, etc.) 104 (e.g., traces 104a - 104n) that comprise a substantially parallel trace group (e.g., a pair of traces 104, a single lead 104, a plurality of traces 104, etc.) 106, and at least one pair of trace conductors 110a and 110b that comprise a twisted pair 112.

10

15

20

25

The twisted pair 112 generally includes a crossover section (i.e., portion, lead, link, wire, conductor, part, etc.) 120, and has a crossover point 122. The twisted pair 112 (i.e., the traces 110a and 110b) are generally substantially parallel except at the region where the twist is implemented using the section 120. The traces 104 and 110 generally comprise flexible conductors that are disposed (e.g., deposited, coated, sputtered, electroformed, plated, laminated, silk-screened, layered, etc.) longitudinally (i.e., disposed in a direction 114) as a signal layer in or on the dielectric material 102. The crossover point 122 is generally the location where the leads 110a and 110b cross over each other and proceed to a parallel path.

The dielectric material film 102 is generally implemented as an electrically insulating (i.e., non-conducting) material such as polyimide, rubber, teflon, mylar, and the like. However, the base 102 may be implemented using any appropriate (or suitable) flexible dielectric material to meet the design criteria of a particular application.

The trace conductors 104 and 110 are generally made from (i.e., produced from, implemented using, etc.) at least one electrically conductive material (e.g., gold, silver, copper, aluminum, and the like). However, the conductors 104 and 110 may be implemented using any appropriate (or suitable) electrically conductive material to meet the design criteria of a particular application.

5

10

15

20

25

The trace pair 106 (e.g., the traces 104a and 104n) may be implemented as parallel trace conductors. The twisted pair 112 generally includes at least one crossover 122. The flexible trace conductor interconnect array 100 generally has a length that is shorter than a wavelength of a signal of interest. As such, signal coupling and crosstalk generally occur between traces pairs that are in close physical proximity to one another.

However, in contrast to conventional approaches where true twisting is absent (i.e., not implemented), the true twisted pair 112 generally has a signal polarity reversal at the crossover point 122 (i.e., polarity reversal of a signal carried on the conductor pair 112). The polarity reversal of the signal coupling and crosstalk generally yields a net coupling that is substantially zero (i.e., the crosstalk is substantially eliminated). The twisted pair conductors 112 may be implemented in connection with read lines, write lines or b oth read lines and write lines (i.e., at least one of read lines and write lines).

In one example, the twisted pair conductors 112 may be implemented in connection with one or more shield layers (i.e., layers of a generally flexible conductive material that are generally implemented in the interconnect array 100 to provide electrical shielding between layers or conductors). In another example, the twisted pair conductors 112 may be implemented in connection with an interconnect array 100 that is implemented without shield layers.

Referring to Figures 2(a-c), alternative example implementations of the flexible trace conductor interconnect array 100 (e.g., arrays 100, 100', and 100'') are shown. Figure 2a illustrates an example implementation that comprises the parallel conductor pair 106 and the twisted conductor pair 112. The crossover

5

10

15

20

25

122 may be implemented at approximately (i.e., about) equal to half the total length of the interconnect array 100. In another example implementation of the present invention, the location of the crossover 122 may be selected (i.e., tuned, determined, chosen, etc.) such that crosstalk is minimized for a signal having the lowest frequency that is normally transmitted in the array 100.

Figure 2b illustrates an example implementation (i.e., the array 100') having two twisted conductor pairs 112 (e.g., conductor pair 112a and conductor pair 112b). The respective crossover points 122 of the conductor pairs 112 (e.g., crossover point 122a and crossover point 122b) may be longitudinally separated by a distance (or length), S', that may be substantially equal to one half a wavelength of a signal of interest (e.g., a signal having the lowest frequency that is normally transmitted in the array 100'). In another example implementation of the present invention, the distance S' may be selected (i.e., tuned, determined, chosen, etc.) such that crosstalk is minimized for a signal having the lowest frequency that is normally transmitted in the array 100'.

Figure 2c illustrates another example implementation (i.e., the array 100'') having two twisted conductor pairs 112. The longitudinal separation distance S between the crossover points 122 may be implemented as generally randomly unequal distances.

Referring to Figure 3a, an isometric view illustrating an example implementation of the true twisted conductor pair 112 in the flexible trace conductor array 100 of the present invention is shown. The flexible trace conductor array 100 that is illustrated in Figure 3a may include a shield layer 130 that is disposed on the side of the base 102 that is opposite the traces 112.

The crossover lead 120 may be formed as a section of the shield 130 that is insulated from the remainder of the shield 130 by the dielectric base material 102. Vias 140 (e.g., vias 140a and 140b) may be plated through the dielectric 102 to produce the serially continuous conductor 110a. A first section of the trace 110a (e.g., section 110aa) may have an end that is serially connected to a first end of the

link 120 by the via 140a. A second section of the trace 110a (e.g., section 110ab) may have an end that is serially connected to a second end of the link 120 by the via 140b. The trace 110b may include a zig-zag (e.g., "Z") shaped portion 124 on the top surface of the base 102 between the vias 140a and 140b such that the traces 110a and 110b are substantially parallel except for the region of the lead 120 where the twist formed by the vias 140 and the conductor section 120 in connection with the zig zag section 124 is implemented.

5

10

15

20

25

Referring to Figure 3b, an isometric view illustrating another example implementation of the true twisted conductor pair 112 in the flexible trace conductor array 100 of the present invention is shown. The flexible trace conductor array 100 that is illustrated in Figure 3b may be implemented by disposing (i.e., plating, embedding, and the like) the conductor section 120 of the trace 110a apart (i.e., separated, insulated, etc.) from the trace 110b. The dielectric material (i.e., the flex circuit 110 base) 102 generally separates the conductor twist portion 120 from the trace 110b.

Referring to Figure 4a, a diagram illustrating an implementation of the shield 130 and including the link 120 as a section of the shield 130 is shown. Referring to Figure 4b, a diagram illustrating the traces 110 on the base 102 is shown. In the example implementation of the array 100 illustrated in Figures 4(a-b), the trace 110a uses the link section 120 of the shield 130 as the crossover, and the trace 110b has a crossover (e.g., the zig zag portion 124) in the signal layer to form the true twist of the twisted pair 112.

As is readily apparent from the foregoing description, then, the present invention generally provides an improved method and an improved system for a flexible trace interconnect array (e.g., the array 100) having mitigated, reduced or eliminated signal crosstalk between conductor pairs (e.g., pairs 106 and 112 or multiple pairs 112) when compared to conventional approaches. The improved system and method of the present invention generally provides for including one or more true twists (e.g., using a crossover section 120) in a trace pair (e.g., the traces

110a and 110b configured as the trace pair 112) that is implemented in a flexible trace conductor interconnect array (e.g., the array 100).

While embodiments of the invention have been illustrated and described, it is not intended that these embodiments illustrate and describe all possible forms of the invention. Rather, the words used in the specification are words of description rather than limitation, and it is understood that various changes may be made without departing from the spirit and scope of the invention.

5

WHAT IS CLAIMED IS:

2

3

4 5

1

2

3

4

1. A system for reducing signal crosstalk in a flexible trace
2 interconnect array, the system comprising:
3 a flexible dielectric material base; and
4 a plurality of conductors longitudinally arranged as pairs in a signal
5 layer array on the base, wherein at least one of the pairs of conductors comprises
6 a twisted pair.

2. The system of claim 1 further comprising a shield disposed

- 2. The system of claim 1 further comprising a shield disposed on the base and the base separates the shield from the plurality of conductors, wherein a portion of the shield forms a crossover lead in a first conductor of the twisted pair, and a zig zag portion of the signal layer forms a crossover lead in a second conductor of the twisted pair.
- The system of claim 2 further comprising vias to connect the crossover lead portion of the shield to the respective conductor of the twisted pair.
- 1 4. The system of claim 1 further comprising at least one other conductor that is substantially parallel to the at least one twisted pair.
 - 5. The system of claim 1 further comprising at least two twisted conductor pairs, and respective crossover points of the conductor pairs are longitudinally separated by a distance selected to minimize crosstalk for a signal having the lowest frequency that is normally transmitted in the system.
- 1 6. The system of claim 1 further comprising at least two twisted 2 conductor pairs, and respective crossover points of the conductor pairs are 3 longitudinally separated by randomly unequal distances.
- 7. The system of claim 1 wherein the conductors comprise at least one of gold, silver, copper, and aluminum.

1 8. The system of claim 1 wherein the base comprises at least one 2 of polyimide, rubber, teflon, and mylar. 1 9. A method for reducing signal crosstalk in a flexible trace 2 interconnect array, the method comprising: 3 disposing a plurality of conductors arranged as pairs in an array on 4 a flexible dielectric material base; and 5 forming at least one of the pairs of conductors as a twisted pair. 1 10. The method of claim 9 further comprising disposing a shield 2 on the base and separating the shield from the plurality of conductors using the base, 3 wherein a portion of the shield forms a crossover lead in a first conductor of the 4 twisted pair, and a zig zag portion of the signal layer forms a crossover lead in a 5 second conductor of the twisted pair. 1 11. The method of claim 10 further comprising forming vias to 2 connect the crossover lead portion of the shield to the respective conductor of the 3 twisted pair. 1 12. The method of claim 9 further comprising disposing at least 2 one other conductor that is substantially parallel to the at least one twisted pair. 1 13. The method of claim 9 wherein at least two twisted conductor 2 pairs, and respective crossover points of the conductor pairs are longitudinally 3 separated by a distance selected to minimize crosstalk for a signal having the lowest 4 frequency that is normally transmitted in the system. 14. The method of claim 9 wherein at least two twisted conductor 1 2 pairs, and respective crossover points of the conductor pairs are longitudinally

15. The method of claim 9 wherein the conductors comprise at


2 least one of gold, silver, copper, and aluminum.


separated by randomly unequal distances.


3

1

16. 1 The method of claim 9 wherein the base comprises at least one 2 of polyimide, rubber, teflon, and mylar. 1 17. A flexible trace interconnect array, the array comprising: 2 a flexible dielectric material base; 3 a plurality of trace conductors disposed as pairs along a longitudinal axis of the base; and 4 5 a crossover section formed as a true twist in at least one of the 6 conductor pairs. 1 18. The array of claim 17 further comprising a shield disposed on 2 the base and the base separates the shield from the plurality of conductors, wherein 3 a portion of the shield forms a crossover lead in a first conductor of the twisted pair, vias connect the crossover lead portion of the shield to the respective conductor of 4 5 the twisted pair, and a zig zag portion of the signal layer forms a crossover lead in 6 a second conductor of the twisted pair. 19. 1 The array of claim 17 further comprising at least two twisted 2 conductor pairs, and respective crossover points of the conductor pairs are 3 longitudinally separated by a distance selected to minimize crosstalk for a signal 4 having the lowest frequency that is normally transmitted in the system. 20. 1 The array of claim 17 further comprising at least two twisted 2 conductor pairs, and respective crossover points of the conductor pairs are longitudinally separated by randomly unequal distances. 3







7/7/06, EAST Version: 2.1.0.11

INTERNATIONAL SEARCH REPORT

1--- tional Application No 'US2005/033798

			′US2005/033798		
A. CLASSI	FICATION OF SUBJECT MATTER G11B5/48 H01B7/08				
	o international Patent Classification (IPC) or to both national clas	sification and IPC			
	SEARCHED currentation searched (classification system followed by classification system followed by classifi	Ication symbols)			
	G11B H01B H05K	iodion dymodis)			
Documentat	tion searched other than minimum documentation to the extent ti	nat such documents are included	d in the fields searched		
Electronic d	ata base consulted during the international search (name of dat	a base and, where practical se-	arch terms used)		
	ternal, PAJ	,	,		
C. DOCUME	ENTS CONSIDERED TO BE RELEVANT				
Category °	Citation of document, with indication, where appropriate, of the	e relevant passages	Relevant to claim No.		
37			Tiolovan to Gallimo.		
X	EP 0 134 899 A (ANT NACHRICHTE GMBH) 27 March 1985 (1985-03-27	NTECHNIK 7)	1-5, 7-13, 15-19		
Y	the whole document	6,14,20			
Y	EP 0 855 854 A (MOLEX INCORPOR/ 29 July 1998 (1998-07-29) abstract				
Х	US 4 418 239 A (LARSON ET AL) 29 November 1983 (1983-11-29)		1-5, 7-13, 15-20		
	the whole document		13 20		
		-/			
X Funt	ner documents are listed in the continuation of box C.	X Patent family men	nbers are listed in annex.		
° Special cal	legories of cited documents:				
consid	ent defining the general state of the art which is not lered to be of particular relevance docurnent but published on or after the international	or priority date and no cited to understand the invention	ed after the international filing date t in conflict with the application but e principle or theory underlying the		
filing d "L" docume: which i	ate at which may throw doubts on priority claim(s) or is clied to establish the publication date of another or other special reason (as specified)	cannot be considered invotve an inventive st "Y" document of particular	relevance; the claimed invention novel or cannot be considered to the when the document is taken alone relevance; the claimed invention		
"O" docume other n	ent referring to an oral disclosure, use, exhibition or	document is combined	to involve an inventive step when the dwith one or more other such docu- ion being obvious to a person skilled		
later th	nan the priority date claimed actual completion of the international search	"8" document member of the			
	1 January 2006	18/01/200	ntemational search report		
	nailing address of the ISA	Authorized officer			
	European Patent Office, P.B. 5818 Patentlaan 2 NL – 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Benfield,	Α		
	10 (second sheet) (Jameny 2004)				

Form PCT/ISA/210 (second sheet) (January 2004)

INTERNATIONAL SEARCH REPORT

f....ational Application No /US2005/033798

0.6		/US2005/033798		
	tton) DOCUMENTS CONSIDERED TO BE RELEVANT			
Category °	Citation of document, with Indication, where appropriate, of the relevant passages	Relevant to claim No.		
Α	PATENT ABSTRACTS OF JAPAN vol. 2003, no. 12, 5 December 2003 (2003-12-05) & JP 2004 227891 A (AUTO NETWORK GIJUTSU KENKYUSHO:KK; SUMITOMO WIRING SYST LTD; SUMITOMO), 12 August 2004 (2004-08-12) abstract			
A	US 3 761 842 A (BENTLEY GANDRUD W,US) 25 September 1973 (1973-09-25)			
A	US 6 424 499 B1 (BALAKRISHNAN ARUN ET AL) 23 July 2002 (2002-07-23)			
		·		

Form PCT/ISA/210 (continuation of second sheet) (January 2004)

INTERNATIONAL SEARCH REPORT

ational Application No /US2005/033798

Patent document cited in search report			Publication date		Patent family member(s)		Publication date
ΕP	0134899	Α	27-03-1985	DE	3326800 /	A1	14-02-1985
EP	0855854	A	29-07-1998	CN	1188968 /	- A	29-07-1998
				DE	69730587		14-10-2004
				DE		T2	15-09-2005
				JP	3528484		17-05-2004
				JP		A	21-07-1998
				SG TW	67455 / 385906 \		21-09-1999 21-03-2000
				US	6057512		02-05-2000
					~		
US	4418239	A	29-11-1983	NONE			
JP	2004227891	Α	12-08-2004	NONE			
US	3761842	Α	25-09-1973	BE	800312	A1	17-09-1973
				CA	973266		19-08-1975
				DE	2327549		06-12-1973
				ES	415576 /		16-02-1976
				FI	59308	-	31-03-1981
				FR	2186712 / 1432793 /		11-01-1974 22-04-1976
				GB JP	49056188 /		31-05-1974
				JP	54015626 F		15-06-1979
				NL	7307397	_	04-12-1973
				SE	425709		25-10-1982
US	6424499	B1	23-07-2002	NONE			

Form PCT/ISA/210 (patent family annex) (January 2004)